



QUOTE: 324568-1

TAG: ONLINE TYPICAL

PRODUCT: OS

DRAWN BY: Preston, Kayleen

NOTES:



## 324568 | ONLINE TYPICAL

| QTY | PART NUMBER                      | CATEGORY   | DESCRIPTION  | LIST    | EXT LIST |
|-----|----------------------------------|------------|--|---------|----------|
| 4   | GESM161822-N-LFC-CH-H1L1G2       | Storage    | Storage, Mobile, 16L. x 18D. x 22H. Full back. Cushion top. File, box combo, horizontal grain. Horizontal 96mm pull, grade 1. 2 drawers lock. Grade 2 fabric, MUST BE SPECIFIED WITH UPHOLSTERY GRADE FABRIC.  | \$759   | \$3,036  |
| 2   | OSDR4224-MPNL-SEW3S0L3-00        | Desk       | Worksurface, rectangular, 42L x 24D. Mending plate, left. Suspended on panels, right. Standard edge. Grommet, center. No center stiffener rail. No Power.  | \$215   | \$430    |
| 2   | OSDR4224-NLMP-SEW3S0L3-00        | Desk       | Worksurface, rectangular, 42L x 24D. Suspended on panels, left. Mending plate, right. Standard edge. Grommet, center. No center stiffener rail. No Power.  | \$215   | \$430    |
| 4   | OSDR7230-NLNL-SEW6S2L3-00        | Desk       | Worksurface, rectangular, 72L x 30D. Suspended on panels, left. Suspended on panels, right. Standard edge. Grommet, left and right. 57 in. stiffener rail. No Power.   | \$445   | \$1,780  |
| 6   | OSPJ64-2W64000000                | Panel      | Panel Joiner, 64 high. 2 Way. 64 in. vertical cap.   | \$105   | \$630    |
| 1   | OSPJ64-4W00000000                | Panel      | Panel Joiner, 64 high. 4 Way.  | \$160   | \$160    |
| 2   | OSPJ64-4W64000000                | Panel      | Panel Joiner, 64 high. 4 Way. 64 in. vertical cap.   | \$187   | \$374    |
| 4   | OSPJ64-4W64640000                | Panel      | Panel Joiner, 64 high. 4 Way. 64 in. vertical cap. 64 in. vertical cap.  | \$214   | \$856    |
| 2   | OSPM240164-L4L3L200000000-N0G000 | Panel      | OS Multi-Tile Panel, 24 in. long, 01 in. thick, 64 in. high. Laminate base tile, 29 in. h. Laminate 2nd tile, 21 in. h. Laminate 3rd tile, 14 in. h. No grommets.  | \$382   | \$764    |
| 4   | OSPM300164-L4L3L200000000-N0G000 | Panel      | OS Multi-Tile Panel, 30 in. long, 01 in. thick, 64 in. high. Laminate base tile, 29 in. h. Laminate 2nd tile, 21 in. h. Laminate 3rd tile, 14 in. h. No grommets.  | \$432   | \$1,728  |
| 2   | OSPM720164-L4F1A1F1L20000-D4G200 | Panel      | OS Multi-Tile Panel, 72 in. long, 01 in. thick, 64 in. high. Laminate base tile, 29 in. h. Tackboard 2nd tile, 7 in. h. Accessory rail 3rd tile, 7 in. h. Tackboard 4th tile, 7 in. h. Laminate 5th tile, 14 in. h. Grommets on both ends, 27 in. from bottom. Grade 2 fabric. | \$1,818 | \$3,636  |
| 2   | OSPM720164-L4K3L200000000-N0G200 | Panel      | OS Multi-Tile Panel, 72 in. long, 01 in. thick, 64 in. high. Laminate base tile, 29 in. h. 1 sided tackboard 2nd tile, 21 in. h. Laminate 3rd tile, 14 in. h. No grommets. Grade 2 fabric.   | \$1,153 | \$2,306  |
| 2   | OSPM720164-L4K3L200000000-S4G200 | Panel      | OS Multi-Tile Panel, 72 in. long, 01 in. thick, 64 in. high. Laminate base tile, 29 in. h. 1 sided tackboard 2nd tile, 21 in. h. Laminate 3rd tile, 14 in. h. Grommet on one end, 27 in. from bottom. Grade 2 fabric.  | \$1,164 | \$2,328  |
| 4   | OSSH721515-15S-NLNL-LFLF-V1L0A0  | Storage    | Storage, hutch, 72L. x 15D. x 15H. 15 in. bin height. No leg left, no leg right. Laminate left door, laminate right door. Vertical 96mm door pull, grade 1. Non locking.   | \$731   | \$2,924  |
| 4   | OSSP161828-N-BSLF-CH-W0H1L2      | Storage    | Storage, pedestal, 16L. x 18D. x 28 High, plus levelers. Standard base. Laminate, full back. File, box combo, horizontal grain. Horizontal 96mm pull, grade 1. Gang lock.  | \$653   | \$2,612  |
| 1   | OSPD84SB2-72                     | Power Data | 8 wire,4 circuit power feed, 72" whip. Branch circuit protection shall be 15 AMP in Canada.  | \$161   | \$161    |
| 4   | OSPD84-4SA-HB                    | Power Data | 8 wire, 4 circuit, OS Hanging Bracket with Single sided 844SA power module with 4 circuit 15 AMP receptacles (1 with an isolated ground).  | \$115   | \$460    |
| 2   | OSPD84FF66                       | Power Data | 8 wire, 4 circuit, Metal Flex Connecting Cable 66" Female both ends.   | \$171   | \$342    |
| 1   | OSPD84FF24                       | Power Data | 8 wire, 4 circuit, Metal Flex Connecting Cable 24" Female both ends.   | \$116   | \$116    |
| 4   | OS-CABLETRAY10-DD                | Power Data | OS 10" cable tray with two RJ45 category 6 data jacks (hard wired).  | \$110   | \$440    |
| 4   | OS-CABLETRAY10                   | Power Data | OS 10" metal cable tray for wire mangement below worksurfaces.   | \$37    | \$148    |
| 1   | OSPD84-SRT                       | Power Data | Simplex Removal Tool for 84 power delivery system.   | \$7     | \$7      |

Three H cannot be held responsible for discrepancies or inaccuracies that arise due to faulty or incomplete information. Please review all information and notes accurately.

**LIST PRICE: \$25,668.00**

\*Pricing effective 2017.  
PRICING SUBJECT TO CHANGE.